



**BUILDING
STRONGER
FUTURES**

PALCO

PRODUCT CATALOGUE 2026

palcomauritius.com





30
YEARS



PALCO



palcomauritius.com

DIRECTOR OF COMPANIES

Jean-Paul Harel
Tel: (230) 5259 6850
Email: jpharel@palco.mu



(230) 211 6609
reception@palco.mu
palcotrading.com

Jonathan Lagesse
MANAGER
Tel: (230) 5259 6858
Email: jlagesse@palco.mu

SALES REPRESENTATIVES

Ramiad Pushkar
Tel: (230) 5256 7770
Email: rpushkar@palco.mu

Stephane Orange
Tel: (230) 5252 8651
Email: sorange@palco.mu

Ahmad Mittoo
Tel: (230) 5259 6859
Email: amittoo@palco.mu

Patrick Rousset
SALES MANAGER
Tel: (230) 5259 6856
Email: prousset@palco.mu

Alexandre Pichee
Tel: 5250 6280
Email: apitchee@palco.mu

Jean-Paul Melin
Tel: (230) 5251 0503
Email: jpmelin@palco.mu

Ritesh Seeparsad
Tel: (230) 5251 8834
Email: rseeparsad@palco.mu



(230) 211 6062
palcowaterproofing.com

Hubert Harel
Tel: (230) 5259 6851
Email: hharel@palco.mu

Olivier Mayer (West)
Tel: (230) 5257 8450
Email: omayer@palco.mu

Joel Julianne (South & Centre)
Tel: (230) 5943 7522
Email: jjulienne@palco.mu

Guillaume Jollivet (North)
Tel: (230) 5254 7358
Email: gjollivet@palco.mu

Fabrice Tyack (East)
Tel: (230) 5259 6854
Email: ftyack@palco.mu



(230) 285 1314
palcoflooring.com

Jean-François de Robillard
Tel: (230) 5259 6855
Email: jfderobillard@palco.mu

Bertrand Closel
Tel: (230) 5943 8549
Email: bclosel@palco.mu



(230) 286 1000

François Hardy
Tel: (230) 5259 9405
Email: francois@airstream.mu

Janot Belle
Tel: (230) 5259 9406
Email: janot@airstream.mu

Darryl Aubeeluck
Tel: (230) 5257 9407
Email: darryl@airstream.mu

Yannick Manuel (Contracting Dept)
Tel: (230) 5258-9408
Email: yannick@airstream.mu



CONTENT

PALCO TRADING

ADHESIVES	8 - 9
CONCRETE REPAIR	10 - 14
GARAGE PRODUCTS	15
TILING PRODUCTS	16 - 21
LADDERS	22
TAPES	23
SEALANTS	24 - 25
WATERPROOFING	26 - 29
GEOTEXTILE	30 - 31
DRAINAGE SYSTEM	32
LIME	33

PALCO WATERPROOFING

TORCH ON WATERPROOFING SYSTEM	36
WATERPROOFING SYSTEM	37
LIQUID WATERPROOFING SYSTEMS	38
ALTERNATIVE WATERPROOFING	39
SPECIAL PRODUCTS	40

TBA

BST - BETOSTYRENE	41
-------------------	----

PALCO FLOORING

BREATHECOAT	44
TERACOAT	44
POLISHED CONCRETE FLOORS	45
TERRAFLOOR	45
VUKA FLOORS	46
BOSTIK SELF LEVELLING	47

AIRSTREAM

EXTRACTORS / VENTILATIONS	50
OUTDOOR LIGHTS	51 - 54
INDOOR LIGHTS	54
CONNECTORS	55



WHAT WE DO

We deliver high-performance construction products designed to meet the demands of modern building projects and help clients with our expertise. Our team work closely with contractors, architects, retailers, hardware and homeowners to provide expert advice and reliable products to ensure every project is completed from foundation to finish.



OUR VISION

To become the preferred supplier of premium construction materials and solutions by consistently exceeding customer expectations through service and quality.



ABOUT US

Palco Trading Ltd is part of Palco Group, which has been present on the Mauritian market for 30 years as a leading supplier of construction solutions, serving customers since 2011. We offer a carefully selected range of high-quality waterproofing system, sealants, grouts, adhesives, membranes, and other essential construction materials with worldwide brands like Bostik, Fibertex, X'traseal, Xypex, Tal and Pekay.

OUR BRANDS



COMPLETE RANGE OF BUILDING PRODUCT SOLUTIONS



PARQUET ADHESIVES

CONCRETE REPAIRS

DRAINAGE

GEOTEXTILES

**TILE ADHESIVES
& GROUTS**

WATERPROOFING

SEALANTS

POND LINER



WOOD ADHESIVES



PEKAY WOOD GLUE 1302

Quick-setting wood adhesive providing high bond strength for bonding medium and soft timber.

Available in:
250 g / 500 g / 1 kg / 2.5 kg / 5 kg / 20 kg



PEKAY WD 279 (Water resistant)

Water-resistant wood adhesive for interior and protected exterior applications.

Available in: 5 kg / 20 kg



PEKAY D 91 VINYL ADHESIVE

Vinyl flooring adhesive with ultra-quick grip, providing a flexible and durable bond for resilient floor coverings.

Available in: 1 kg / 2.5 kg / 5 kg / 20 kg (Coverage: 4–5 m²/L)

PARQUET



PEKAY POLYURETHANE A663 (2-3 m²/ kg)

Two-component polyurethane adhesive for insulated sandwich panels used in cold rooms and industrial applications.


Available in: 6 kg / 36 kg



PEKAY WOOD BLOCK W598 (1-2 m²/ Kg)

Water-based parquet adhesive for laying wood block, parquet and mosaic timber flooring.

Available in: 5 kg / 25 kg



GENERAL PURPOSE ADHESIVES



X'TRASEAL SUPER GLUE

Fast-curing instant adhesive for strong bonding of porous and non-porous materials as wood, metal, plastic, glass, leather and rubber.

Available: 3 g x 12 Pcs / 3 g x 1 / 20 g



FOOTWEAR



X'TRASEAL CONTACT ADHESIVE CA288

Multi-purpose solvent based chloroprene contact adhesive offering high bond strength for bonding and laminating formica, plywood, cloth, cardboard, sponge, wood, leather, rubber, glass, metal, concrete, ceramic, plastic and others.

Available: 50 g / 100 mL / 200 mL / 750 mL / 280 g can / 40gm Tubes Carded



X'TRASEAL CONTACT ADHESIVE C253

Clear multi-purpose adhesive for bonding and repairing leather, fabric, glass, paper, cardboard, ceramic, metal and most plastics.

Available: 20 mL



PVC ADHESIVE



X'TRASEAL PS-200 PVC SOLVENT

Fast-setting PVC solvent cement for waterproof bonding of rigid PVC, uPVC and CPVC pipes, fittings and conduits.

Available in: 14 g x 12 tubes / 50 g tube / 50 g can / 100 g tube / 100 g can / 250 g can / 500 g can



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

PAPER ADHESIVE



PEKAY POWDER PAPER AZ127

Powder adhesive for paper bonding and general stationery applications.

Available in: 15 kg



PEKAY WD 3042

Water-based carton-closing adhesive for bonding paper, cardboard and paperboard.

Available in: 5 kg / 20 kg

PEKAY WD 3051

General-purpose paper adhesive providing high bond strength, flexibility and water resistance.

Available in: 5 kg / 20 kg



PEKAY WD 272 PADDING COMPOUND

Water-based padding adhesive for bookbinding and commercial printing applications.

Available in: 5 kg / 20 kg



PEKAY PROFIDECO

Multi-purpose adhesive for bonding paper to walls, wood, concrete and similar surfaces.

Available in: 500 g / 1 kg / 5 kg



FOR SYNTHETIC GRASS



PEKAY A668 SYNTHETIC GRASS ADHESIVE

Two-part polyurethane adhesive for joining synthetic grass with high green strength and minimal movement during curing.

Available in: 10 kg



GLUE GUN

GLUE STICK HM 73

General-purpose translucent hot melt adhesive for glue gun applications.

Available in: 1 kg (33 sticks)



HOTMELT

BOOK BINDING

ADHE AE-383 M WHITE CHIPS

Hot melt adhesive for bookbinding applications.

Available in: 25 kg



CARTON CLOSING

ADHE AE M12C YELLOW

Hot melt adhesive for carton closing and packaging applications.

Available in: 25 kg

PRESSURE SENSITIVE

ADHE AR-901C PRESSURE SENSITIVE

Pressure-sensitive hot melt adhesive for industrial bonding applications.

Available in: 24 kg

EDGE BINDING

PEKAY BAM 997

Hot melt edge-banding adhesive for furniture manufacturing and joinery applications.

Available in: 20 kg



NON SHRINK GROUT



CONMIX NANO GROUT GP

General-purpose, non-shrink grout designed for precision grouting and concrete repair. Its flowable, self-levelling formulation fills intricate voids while delivering high strength, controlled expansion and excellent dimensional stability without bleeding or segregation.

Available in: 25 kg



SELF LEVELING & PRIMER



BOSTIK H320

High-performance hybrid self-levelling compound with fast curing and low shrinkage, producing smooth, durable surfaces with excellent workability, even at low temperatures. Ideal for renovation and new-build flooring projects.

Available in: 25 kg



GRIP A400

Grip A400 Concrete is a dispersion-based primer for gypsum and cement plasters on exposed concrete and other non-absorbent surfaces. It contains mineral fillers that improve adhesion, balance surface absorbency, and help prevent cracking of the subsequent plaster coat.

Available in: 18 kg



ACCESSORIES

SPIKE ROLLER

Professional spike roller designed to remove trapped air from self-levelling compounds, ensuring a smooth, even and defect-free finish.



SPIKE SHOES

Protective spike shoes allowing safe movement over freshly applied self-levelling compounds without damaging the surface during installation.



FLOOR SPREADER & GAUGING RAKE

Protective spike shoes allowing safe movement over freshly applied self-levelling compounds without damaging the surface during installation.



FILLER

x'traseal®



X'TRASEAL PUTTY FILLER

Quick-drying, ready-mixed filler for repairing cracks, holes and surface imperfections in plaster, drywall, wood and other interior substrates. It provides a smooth finish that is easy to sand and paint.

Available in: 500 g / 5.4 kg / 20 kg



PEKAY BETOFILL CRACKFILLER

Ready-to-use crack filler developed for repairing fine cracks and surface defects on interior and exterior walls, ceilings and concrete surfaces. It provides a smooth finish ready for painting.

Available in: 500 g



PEKAY GRIP-ON

High-performance bonding primer formulated to improve the adhesion of gypsum plaster and cement-based finishes on smooth and low-absorbency substrates.

Available in: 5 kg / 20 kg



JOINTS

SPX 33 WHITE JOINTEX

Expansion joint filler board (33 kg/m³) with a hinged temporary blocking strip for concrete movement joints.

Available in:

• 1 × 2 × (8 mm / 10 mm / 12 mm / 15 mm / 20 mm / 25 mm / 30 mm)



GROUT SEAL

Flexible polyurethane foam strip designed to prevent grout leakage through formwork joints during grouting operations, ensuring a clean and efficient application.

Available in: 10 mm × 20 mm × 10 m



BACKING RODS

Closed-cell polyethylene backing rods used to control sealant depth and improve the performance of expansion and movement joints.

Available in: 6 mm / 8 mm / 10 mm / 12 mm / 15 mm / 20 mm / 25 mm / 30 mm



FOAM FILLER



BOSTIK PU FOAM

One-component expanding polyurethane foam for filling, sealing and insulating gaps around doors, windows, pipe penetrations and construction joints. It provides excellent thermal and acoustic insulation.

Available in: 750 mL



GAP SEALANT



MC 228 MULTI COLOR FLEXI GAP SEALANT

Flexible acrylic gap sealant designed for colour-matched joints around ceramic and porcelain tiles. It provides a durable, crack-resistant finish while accommodating normal movement.

Available in: 400 mL

Colours: Ivory Gold / Ivory White / Porcelain White / Leaden Grey



EPOXY



X'TRASEAL FAST SET 4 MIN EPOXY CLEAR

Fast-setting, two-part clear epoxy adhesive formulated for bonding, filling and repairing metal, wood, masonry, ceramic and concrete. It provides a strong, durable bond within minutes.

Available in: 25 mL



X'TRASEAL PUTTY STICK

Hand-mixable epoxy putty designed for emergency repairs on metal, wood, concrete, plumbing components and underwater applications. It hardens rapidly and can be drilled, sanded or painted after curing.

Available in: 50 g / 100 g



EPOXY GROUT



JAYCOSEAL PRIMER G317

Low-viscosity, two-component epoxy primer developed to improve adhesion on concrete, masonry, steel and timber before applying epoxy flooring and repair systems.

Available in: 500 g / 1 kg / 5 kg



WET TO DRY



JAYCOSEAL 201

Two-component, solvent-free epoxy bonding agent designed to create a permanent structural bond between hardened and freshly placed concrete.

Available in: 1.5 kg / 7.5 kg



ANCHOR GROUT



ALCOLIN POLYESTER CHEMICAL ANCHOR

Two-component polyester chemical anchoring system for securing threaded rods, reinforcing bars and bolts into concrete, brick and stone. It provides high pull-out strength and reliable long-term performance.

Available in: 300 mL



GENERAL PURPOSE



JAYCOSEAL 272

General-purpose epoxy adhesive and anchoring grout formulated for fixing steel bars, bolts and inserts into concrete, stone and masonry. It provides excellent adhesion and high mechanical strength.

Available in: 500 g / 1 kg / 2 kg / 5 kg



MESH



FIBER MESH 60GMS

Glass fibre reinforcement mesh designed for use with liquid-applied waterproofing coatings and membranes. It improves tensile strength, durability and crack resistance while ensuring optimum material consumption and long-term performance.



Available in: 1 m × 50 m



CONMIX LTD
Building History

CONMIX FIBER 12MM

Polypropylene microfibres designed to minimise plastic shrinkage cracking and improve the durability of cementitious mixes. Pre-packed and ready to use for easy site application.



Available in: 0.6 g

CURING COMPOUND



CONMIX LTD
Building History

CONMIX JETCURE WB

Water-based concrete curing compound formulated to reduce moisture loss during curing, improving concrete strength and minimising surface cracking.

Available in: 5 L / 25 L / 200 L

CONMIX JETCURE WB 75

Wax emulsion-based curing compound that provides efficient moisture retention for newly placed concrete, promoting proper curing and improved surface durability.

Available in: 5 L / 25 L / 200 L

CONMIX JETCURE GP CLEAR

Clear inorganic curing compound specially formulated for concrete surfaces that will receive subsequent treatments such as renders, paints or decorative coatings.

Available in: 5 L / 25 L / 200 L



HARDENER



TAL X-TECH INTRAFLOOR S

Monolithic floor hardening compound formulated to improve abrasion resistance and surface durability of industrial concrete floors.

Coverage: 3–5 kg/m²

Available in: 25 kg



CEMENTITIOUS RENDERING



CONMIX LTD
Building History

CONMIX RECON PH

Polymer-modified cementitious thin fairing coat repair mortar for smoothing and repairing concrete and plaster surfaces prior to finishing.

Available in: 1 kg / 5 kg / 25 kg



CONMIX RECON HS - CONCRETE REPAIR

Fibre-reinforced, non-shrink repair mortar developed for repairing damaged concrete. It produces a high-strength, smooth finish suitable for structural and non-structural repairs.

Available in: 5 kg / 25 kg

CONMIX RECON GP

Rapid-setting, high early-strength dry repair mortar blended with special cements and non-shrink additives for durable concrete repairs.

Available in: 25 kg

ADDITIVES



JAYCOCRETE STANDARD

Synthetic rubber latex admixture designed to improve adhesion, flexibility and water resistance in cementitious mortars and concrete mixes.

Available in: 1 L / 5 L / 25 L / 200 L



JAYCOCRETE SUPER

Synthetic latex admixture for waterproof rendering, screeds and patch repairs. Improves adhesion, flexibility and durability in cement-based applications.

Available in: 1 L / 5 L / 25 L / 200 L



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

PRIMERS



TAL FLOOR PRIMER

Latex-based bonding agent and primer formulated to improve adhesion on cementitious floor surfaces before tiling and floor preparation.

Available in: 5 L / 25 L



TAL SF PRIMER

High-penetration primer suitable for epoxy coating systems and floor preparation, promoting excellent adhesion on porous substrates.

Available in: 5 L

TAL MT PRIMER

High-penetration primer for damp or porous substrates. Suitable for epoxy flooring systems and can also be used as a standalone sealer for green concrete.


Available in: 5 L



DEN BRAVEN ZINC ALUMINIUM SPRAY

Anti-corrosion zinc-aluminium primer in aerosol form for protecting steel reinforcement and metal surfaces against corrosion.

Available in: 400 mL



SEALERS / COATINGS



CONMIX LTD
Building History

CONMIX RESIGARD SEALER

Water-based acrylic sealer for protecting natural stone, marble, granite, interlock blocks, masonry and other decorative surfaces while enhancing durability.

Available in: 1 L / 5 L / 20 L



SEALERS / COATINGS



CONMIX LTD
Building History

CONMIX MOYASHIELD WR

Clear silane-siloxane water repellent that penetrates porous substrates to provide long-lasting protection against water ingress while maintaining substrate breathability. Suitable for concrete, stone, masonry, tiles and decorative finishes.

Available in: 5 L / 20 L

ADMIXTURES



CONMIX LTD
Building History

CONMIX MEGA FLOW P4

High-range water-reducing and set-retarding concrete admixture designed to improve workability, reduce water demand and enhance concrete performance.

Available in: 5 L / 20 L



COLOURS FOR CEMENT

COLOURS FOR CEMENT


Lightfast, lime-resistant pigments that disperse easily into dry cement mixes without affecting the strength of the finished concrete when used as recommended.

Features:


- Permanent lightfast colours
- Easy dispersion in dry mixes
- Does not impair concrete performance
- Recommended dosage up to 5%

Coloured cements available in :


Available in: 1 kg / 5 kg / 25 kg / 20 kg (for Yellow 960 & Yellow 920)




Yellow 920




Orange
Yellow 960




White 828




Red 130



Brown 660



Black 330



Green 4590



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.


READY MIXED PLASTER



CREPI ADDMIX

Performance-enhancing admixture specially formulated for traditional cement-sand rendering mortars. It improves adhesion, workability, anti-cracking properties and open time, ensuring a smoother and more durable render finish.

Available in: 1 kg



PRIME KEY +

High-performance bonding primer developed to improve adhesion between levelling mortars and concrete substrates, including ceilings, columns, beams and walls. It enhances workability while ensuring superior bonding performance.

Available in: 20 kg



CREPIPLASTER

Cement-based rendering mortar for concrete and masonry surfaces. Formulated with selected cement and basaltic sand to produce a durable, high-quality finish for interior and exterior applications in accordance with EN 998-1.

Available in: 20 kg



RENDERING COMPOUND

Ready-mixed cementitious rendering compound for repairing and levelling concrete and masonry surfaces. Suitable for interior and exterior applications, providing a smooth, durable finish.

Available in: 5 kg / 20 kg



READY MIXED PLASTER



2 IN 1

Ready-mixed cement-based levelling mortar for concrete surfaces. Formulated with high-performance additives, it produces a smooth, easy-to-apply finish suitable for both manual and mechanical application.

Available in: 20 kg



GARAGE PRODUCTS

x'traseal®

B1 PREMIUM MULTI-PURPOSE GREASE

Premium lithium-based multi-purpose grease formulated from deeply refined mineral oils with rust and oxidation inhibitors. It provides long-lasting lubrication and corrosion protection for a wide range of industrial and automotive applications.

Available in: 450 g / 10 kg



x'traseal®

X'TRASEAL B52 WHITE LITHIUM GREASE

High-quality white lithium grease providing long-lasting lubrication, corrosion protection and reliable performance under all weather conditions. Ideal for light-duty applications requiring extended grease life.

Available in: 85 g



x'traseal®

DOT 3 BRAKE FLUID

High-performance DOT 3 brake fluid formulated to deliver reliable braking performance with excellent boiling point stability and extended service life.

Available in: 400 mL



x'traseal®

DOT 4 BRAKE FLUID

Premium DOT 4 brake fluid specially formulated for modern braking systems. Its superior additive package provides a high boiling point, excellent thermal stability and reliable braking performance under demanding conditions.

Available in: 400 mL



THREADLOCKER

x'traseal®

THREADLOCKER – RED

High-strength anaerobic threadlocker designed for permanent locking and sealing of threaded fasteners. It prevents loosening caused by vibration, shock and leakage while providing reliable long-term performance.

Available in: 50 mL



x'traseal®

THREADLOCKER – BLUE

Medium-strength anaerobic threadlocker designed for locking threaded fasteners that may require future disassembly using standard hand tools. It protects against vibration, leakage and corrosion.

Available in: 50 mL



RELEASE AGENT

pekay

PEKAY MOULD OIL

High-quality release agent for concrete formwork, producing clean release and superior surface finishes while reducing formwork adhesion.

Available in: 5 L / 25 L / 200 L



PENETRATING LUBRICANT

x'traseal®

X'TRASEAL B52

Fast-acting penetrating lubricant formulated to loosen rusted components, lubricate moving parts and protect metal surfaces against corrosion. Suitable for industrial, automotive and general maintenance applications.

Available in: 200 mL / 400 mL



EDGING


Sure Strip

Straight Edge

The Straight Edge profiles provides a clean and straight finish to all tiling applications. It also provides a protective edge to floor and wall surfaces.

Available in:
(SEA)Aluminium & (SES)Stainless steel
10 mm / 12 mm x 2.5 m

(SEB)brass 10 mm / 12 mm / 22.5 mm x 2.5 m



Sure Strip

Movement Joint

Movement Joints are designed to allow for the movement in the tile panels to prevent ceramic tiles from cracking or lifting.

Available in:
PVC CONSTRUCTION JOINT(CJ) (Grey)
12 mm x 2.5 m
PVC MOVEMENT JOINT (MJ) (Grey)
12 mm x 2.5 m
HDA
8mm / 15mm and 17mm



Sure Strip

Formable Edge

It preserves the outlines of the shaped flooring designs. It offers a decorative and functional tile edge protection.

Available in:
(FEA)Aluminium, (FES)Stainless steel
& (FEB) Brass
10 mm x 2.5 m
12 mm x 2.5 m




Sure Strip

Heavy Duty Movement Joint

Available in:
8 mm, 12 mm, 15 mm,
17mm x 2.5 m

Surestrip HDA MJ Grey
8 mm x 12.4 mm x 2.5 m
10 mm x 12.4 mm x 2.5 m
12 mm x 12.4 mm x 2.5 m
15 mm x 12.4 mm x 2.5 m
17 mm x 12.4 mm x 2.5 m



Sure Strip

45 Ramp

The 45 Ramp profiles are used specifically to transition between different floor covering heights as well as protecting the brittle exposed ceramic tile edges.

Available in:
12mm x 2.5 m



Sure Strip

Retrofit

An everlasting elegant decorative look for tiled wall coverings.

Available in:
LESN12A - 10 mm x 2.5 m



Sure Strip

Round Edge

The Round Edge profiles are an alternative to the Straight Edge profiles.

Available in:
Aluminium, Stainless steel
10 mm x 2.5 m
12 mm x 2.5 m



Sure Strip

Cover Strip

The Cover Strip profiles are designed to cover gaps or edges in flooring installations.

Available in: 40mm x 3m



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

EDGING

Sure Strip

Square Edge

The Square Edge profiles are used to protect the vulnerable edges in all tiling environments.

Available in:
(QEA)Aluminium, (QES)Stainless steel 316
10 mm x 2.5 m,
12 mm x 2.5 m,
15 mm x 2.5 m




Sure Strip

Tile In Step

Designed to be installed during the tiling process to protect and to extend the life of the ceramic tiles.

Available in:
TSA (Tile in Step Aluminum)
10 mm x 2.5 m




Sure Strip

Retro alu corner: ANG 25

The Retro Corner Protector profiles are used to provide protection on external corners.

Available in:
Aluminum
12.7 mm x 12.7 mm x 3 m
25 mm x 25 mm x 3 m




Sure Strip

Listello

Decorative look for tiled wall coverings.

Available in:
LIS10 - 10 mm x 2.5 m
LIS12 - 12 mm x 2.5 m




Sure Strip

T Piece

T piece profiles are designed to cover gaps or edges in flooring installations.

Available in: 40mm x 3m




MIGUA®

FV 35

Solid, but light aluminium brackets for quick installation in screed or tiled floorings

Available in: 15 mm / 20mm / 25 mm /
35 mm / 50 mm




Sure Strip

Retro Fit Stair Nosing

The Retro Fit Stair Nosing profiles are used on tiled stairs to provide protection to vulnerable exposed ceramic edges.

Available in:
Aluminum
21 mm x 21 mm x 2.5 m



TILE ADHESIVES & GROUT



TAL STIX



General-purpose grey cement-based tile adhesive for fixing ceramic wall and floor tiles. Easy to apply and suitable for most interior and exterior tiling applications.

Available in: 20 kg



TAL GOLDSTAR XL



Rapid-setting, high-strength shrinkage-compensated tile adhesive for large-format ceramic, porcelain and natural stone tiles on walls and floors.

Available in: 20 kg



TAL PROFESSIONAL



Standard-setting grey cement-based tile adhesive for ceramic wall and floor tiles. Provides up to 3 hours pot life for improved workability and efficient installation.

Available in: 20 kg



TAL MARBLEFIX



Rapid-setting, high-strength light-coloured cement-based adhesive for fixing white marble, travertine, granite and natural stone without staining. Suitable for interior and exterior installations.

Available in: 5 kg / 20 kg (Off White)



TAL PORCELAINFIX



Rapid-setting, high-strength grey cement-based tile adhesive for porcelain wall and floor tiles. Also suitable for ceramic, quarry and terrazzo tile installations in interior and exterior applications.

Available in: 20 kg



TAL MOSAICFIX



Standard-setting white cement-based adhesive and grout for ceramic mosaics. Ideal for showers, wet areas and swimming pools when used with TAL BOND.

Available in: 5 kg / 20 kg (White)



TAL PROFESSIONAL C2

C2 classified, standard-setting grey cement-based tile adhesive for ceramic wall and floor tiles. Offers enhanced adhesion and up to 3 hours pot life for professional installations.

Available in: 20 kg



TAL FLEX



Flexible ready-to-use tile adhesive for lightweight wall tiles where limited substrate movement is expected. Ideal for partition walls, countertops and similar interior applications.

Available in: 1 kg / 5 kg



TAL GOLDSTAR 12



Rapid-setting, high-strength grey cement-based tile adhesive for porcelain, granite, marble and natural stone. Suitable for interior and exterior applications, with tiles ready for grouting after approximately 12 hours.

Available in: 20 kg



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

TILE ADHESIVES & GROUT



TAL WALL & FLOOR (14 colours)

Cement-based grout for wall and floor tiles, available in 14 colours to complement a wide range of ceramic, porcelain and natural stone finishes. Suitable for joints up to 8 mm wide.

Available in: 1 kg / 2 kg / 5 kg / 20 kg



PRIMER



TAL KEYCOAT

Modified latex-based primer designed to improve adhesion on smooth, dense and highly porous surfaces before tiling or floor preparation.

Available in: 1 L / 5 L / 25 L / 200 L



ADDITIVES



TAL BOND

Liquid latex additive for cementitious adhesives and grouts. Improves adhesion, flexibility, water resistance and overall durability when used as a water replacement in cement-based mixes.

Available in: 1 L / 5 L / 25 L / 200 L



TAL BOND POWDER

White polymer powder additive formulated to improve adhesion, flexibility and water resistance in cement-based tile adhesives and grouts while reducing substrate absorption.

Available in: 1 kg



WATERBASE EPOXY GROUT



TAL WATER-BASE EPOXY

Two-component, water-based epoxy grout combining excellent chemical, acid and stain resistance with easy application and water-cleanable workability.

Available in: 5 kg (Grey / White)



CLEANER



PEKAY BRITE TILE

Professional tile cleaner formulated with mild detergents for cleaning ceramic, porcelain, granite, quarry, terracotta and vinyl flooring. Effectively removes grout haze, cement residues, grease and soap deposits.

Available in: 1 L / 5 L



TAL GOLDSTAR DAILY TILE CLEANER

Gentle water-based daily cleaner that removes dirt and grime without leaving streaks. Suitable for ceramic, porcelain, quarry, terracotta, natural stone and other washable surfaces.

Available in: 1 L / 5 L



TAL GOLDSTAR HEAVY DUTY TILE CLEANER

Concentrated high-alkaline cleaner and degreaser for removing stubborn dirt, grease, grime and soap scum from tiled surfaces. Ideal for kitchens, garages, workshops and other high-traffic areas.

Available in: 1 L / 5 L



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

CLEANER



TAL RESIDUE REMOVER

Professional grout residue remover formulated with a blend of acids and detergents to effectively remove cementitious grout and mortar residues from porous and non-porous surfaces. Ideal for post-installation cleaning. Not suitable for modified grout or mortar residues.

Available in: 1 L / 5 L



TAL GOLDSTAR MOULD BLAST

Powerful fungicidal cleaner formulated to remove mould, mildew and algae while helping prevent regrowth. Ideal for bathrooms, kitchens and other damp areas.

Available in: 500 mL Trigger Spray



SEALER



TAL GOLDSTAR NATURAL STONE SEALER (Satin & Matt)

Solvent-based acrylic sealer that penetrates and protects natural stone while enhancing its appearance. Helps resist stains, moisture and wear on marble, granite and other natural stone surfaces.

Available in: 1 L (Satin / Matt)



TAL GOLDSTAR GROUT SEALER

Clear, non-discolouring grout sealer that protects cementitious grout joints against stains, dirt and everyday wear. Suitable for interior and exterior applications, including natural stone installations.

Available in: 1 L



TOOLS & ACCESSORIES

ADHESIVE TROWEL 6MM

Professional notched trowel designed for the even application of tile adhesives.



GROUT FLOAT

Professional grout float for applying and finishing cementitious and epoxy grouts.



GROUTING SPONGE

High-absorbency sponge for cleaning grout residue and finishing tiled surfaces.



SPREADER & SQUEEGEE

Dual-purpose spreader and squeegee for applying adhesives and removing excess grout or water.



RUBBER HAMMER

Rubber mallet for safely positioning and aligning tiles without damaging the surface.



GROUT REMOVER RAKE

Hand tool for removing old or damaged grout before regrouting.



TILE SCORER

Manual tile scorer for accurate scoring prior to cutting ceramic wall tiles.





PLASTIC TILE SPACERS

Plastic tile spacers for achieving consistent joint widths and a professional tile finish. Quick and easy to install.

Available in:

- 2 mm × 300 pcs
- 3 mm × 210 pcs
- 4 mm × 200 pcs
- 5 mm × 200 pcs
- 6 mm × 200 pcs
- 8 mm × 70 pcs




REC SPACERS (CALE FOURCHETTES)

Reusable tile spacers designed to ensure consistent joint spacing and a professional finish.

Available in:

- pack 1000 pcs
- 2 mm × 40 mm (Green)
- 3 mm × 40 mm (Red)
- 5 mm × 40 mm (Blue)
- 2 mm × 80 mm (Yellow)
- 3 mm × 80 mm (Green)
- 5 mm × 80 mm (Black)



REUSABLE SELF LEVELING WEDGES

Reusable wedges for tile levelling systems, ensuring accurate alignment and reducing lippage during installation. Suitable for tiles 8–13 mm thick and tile gaps greater than 1.6 mm.

Packaging: 100 units



WINDOWS SPACERS

Plastic window spacers for accurate glazing and window installation.

Available in: 10 mm × 100 units



BOUCHONS

Rubber caps for finishing and protecting exposed openings in a variety of construction applications.

Available in: 12 mm (1,000 units)



SELF-LEVELLING CLIPS

Disposable clips for maintaining a uniform tile level during adhesive curing.

Available in: 0.5 mm / 1 mm / 2 mm / 2.5 mm / 3 mm

Packaging: 100 pcs



CLAPETS


Plastic fixing clips designed for secure installation and finishing applications.

Available in: White / Black
• 1,000 units per pack



SELF-LEVELLING TOOL

Professional installation tool designed for fast and consistent tightening of tile levelling wedges.



TILE LEVELLING SYSTEM

Professional tile levelling system designed for quick installation, accurate alignment and a perfectly level tile finish. Suitable for all tile types.

Available in: 1.5 mm × 45 units




LADDER



ECO PLUS - STEP LADDER

Lightweight aluminium step ladder designed for safe and stable access during professional and domestic applications. Manufactured to EN 131 Professional standards.

Available in: 3 / 4 / 5 / 6 / 7 steps



SIMPLE LADDER

Heavy-duty aluminium straight ladder providing strength, stability and safe access for general maintenance and construction work. Manufactured to EN 131 Professional standards.

Available in: 14' / 16' / 18' / 20'



DOUBLE LADDER

Professional double-extension aluminium ladder designed for increased working heights while maintaining excellent stability and durability. Manufactured to EN 131 Professional standards.

Available in: 2 × 16'



TRIPLE TRANSFORMABLE LADDER

Versatile three-section transformable aluminium ladder that can be used as a straight ladder, extension ladder or self-supporting step ladder for a wide range of applications.

Available in:

- 3 × 7'
- 3 × 8'
- 3 × 9'
- 3 × 10'
- 3 × 12'



TRIPLE LADDER

Professional three-section extension ladder engineered for demanding industrial and construction environments, offering exceptional reach, stability and durability.

Available in:

- 3 × 10'
- 3 × 12'
- 3 × 14'
- 3 × 16'
- 3 × 18'



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

PACKING



PACKING TAPE

Available in:

12 mm x 40 m x 50 mic (Clear)
24 mm x 40 m x 40 mic (Clear)
48 mm x 100 m x 40 mic (Brown/Clear)
72 mm x 100 m x 40 mic (Brown/Clear)



ALUMINUM TAPE

Available:

48 mm x 50 m



MASKING TAPE



GENERAL PURPOSE

General purpose
masking tape (+60°C)

Available in:

12 mm / 18 mm / 24 mm / 36 mm /
48 mm x 40 m



HIGH TEMPERATURE

General purpose masking tape (+80°C)

Available in:

12 mm / 18 mm / 24 mm / 36 mm /
48 mm / 72 mm x 40 m



TISSUE TAPE

Available in:

6mm / 12mm / 18mm / 24mm / 36mm /
48mm / 72mm x 10m and 50m



DOUBLE SIDED TAPE



FOAM TAPE

Available in:

Black: 15 m / White: 20 m
12 mm / 18 mm / 24 mm



SPECIAL TAPE

Cloth Duct Tape Black (48 mm x 25 m)
Ptfе Thread Seal Tape (12 mm x 10 m),
Stretch Film (450 mm x 400 m x 17 Mic)



FLOOR MARKING

Available in:

48 mm x 30 m



PVC PROTECTIVE IN SPECIAL TAPE

- Coated cloth as backing with rubber resin adhesive coated.
- It has high tensile strength, excellent moisture resistance, easy tear.
- It conforms well to irregular surfaces.
- It is a good choice for bundling, heavy carton packing.

Available in:

black, green, red, blue, yellow and white.
18 mm x 20 m



TAPE DISPENSER

Glazing Tape



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

ADHESIVES

x'traseal®

X'TRASEAL X BOND

High-strength construction adhesive formulated for bonding a wide range of building materials, including PVC, wood, gypsum board, concrete, masonry, aluminium, galvanised iron, steel, fibre cement and mirror-backed tiles. Suitable for both interior and exterior applications.

Available in: 300 mL / 85 g



DEN BRAVEN BLACK GLAZING SILICONE STRUCTURAL SEALANT

High-strength structural glazing silicone sealant with primerless adhesion to most building substrates. UV, weather and ozone resistant, making it ideal for structural glazing and façade applications.

Available in: 310 mL



DEN BRAVEN HIGH TACK H785

Professional hybrid adhesive with exceptionally high initial grab, eliminating the need for temporary support. Suitable for BREEAM-compliant projects and adheres to most surfaces without primer, even on damp substrates.

Available in: 290 mL (White)



HYBRIFIX 611

Professional hybrid adhesive and sealant for interior and exterior expansion joints and elastic bonding. Suitable for construction, transport, marine, refrigeration and industrial applications.

Available in: 300 mL (White)



ACRYLIC

x'traseal®

X'TRASEAL MC-800 / X'TRASEAL MC-808

High-performance acrylic sealant providing excellent adhesion to wood, concrete, marble, plasterboard, brick, fibre cement and ceramic tiles. Suitable for sealing interior joints with minimal movement.

Available in: 480 g

Colours:

MC-800: White

MC-808: Black / Grey / White / Teak / Brown



HIGH TEMPERATURE

x'traseal®

X'TRASEAL RTV RED 650F / 750F GREY

High-temperature RTV silicone sealant developed for automotive applications, including engine covers, oil pans, intake and exhaust manifolds, water pumps and valve covers. Resistant to continuous high operating temperatures.

Available in: 85 g (Red / Grey)



x'traseal®

MC-209 BIRD REPELLENT GEL

Ready-to-use transparent gel that safely deters birds from landing on ledges, balconies, signs and other outdoor surfaces without harming them. Provides long-lasting protection against nesting and fouling.

Available in: 70 g / 300 mL



GUN

x'traseal®

X'TRASEAL SILICONE GUN

Professional applicator gun for 400 mL and 600 mL sealant cartridges and sausages.



X'TRASEAL CAULKING GUN

Heavy-duty caulking gun for standard 310 mL cartridges, providing smooth and controlled sealant application.



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

HYBRID



DEN BRAVEN HYBRIFLEX 540



One-component, moisture-curing low-modulus hybrid sealant and adhesive offering excellent weathering resistance and long-term elasticity for movement joints and general bonding.

Available in: 300 mL (White / Grey / Black)



DEN BRAVEN HYBRISEAL 500



Professional universal hybrid sealant and adhesive based on hybrid technology. Cures under atmospheric humidity to form a durable, flexible rubber with excellent adhesion to most construction materials.

Available in: 300 mL (White / Grey / Black)



DEN BRAVEN CRYSTALFLEX



Crystal-clear hybrid sealant and adhesive designed for invisible bonding and sealing where a transparent finish is required. Solvent-free, silicone-free and low odour.

Available in: 300 mL (Clear)



SILICONE



X'TRASEAL SA 103

Multi-purpose acetoxy silicone sealant for glazing, sealing and general construction applications, providing excellent adhesion and long-lasting flexibility.

Available in: 260 g (Clear / White / Grey / Bronze / Black)



X'TRASEAL GLASS SEALANT

Glass Sealant is a 100% acetoxy silicone sealant that offers excellent adhesion, weatherability and elasticity. Most suitable for gluing aquarium and for general glazing and sealing applications.

Available: 85 g (Clear/White)



SA-106 SILICONE SEALANT AQUARIUM

High-performance aquarium-grade silicone sealant offering excellent adhesion, flexibility and weather resistance. Ideal for aquarium construction, glazing and glass bonding applications.

Available in: 290 g



SN-505 KITCHEN & BATHROOM SEALANT

100% neutral-cure silicone sealant with anti-fungal protection for kitchens, bathrooms and other sanitary areas. Forms a durable, waterproof seal that resists mildew, mould and humidity.

Available in: 300 g



POLYURETHANE



DEN BRAVEN POLYFLEX 452 HM

High-performance polyurethane sealant for expansion joints and elastic bonding in construction, automotive, marine, refrigeration and industrial applications. Provides excellent mechanical strength and long-term durability.

Available in: 300 mL (White / Black)



TAL GOLDSTAR SEALMASTER 1000

Single-component moisture-curing polyurethane adhesive and joint sealant with excellent adhesion to most construction materials. Provides a durable, flexible bond resistant to vibration, shock and temperature fluctuations.

Available in: 600 mL (Grey)



X'TRASEAL PU-551 AUTO GLASS SEALANT

One-component, high-viscosity moisture-curing polyurethane sealant formulated for automotive windscreen bonding. Delivers excellent adhesion to glass and metal while maintaining long-term elasticity.

Available in: 310 mL (Black)



CEMENTITIOUS WATERPROOFING



TAL SUREPROOF SHOWER



Flexible, fibre-reinforced, quick-setting cementitious waterproofing membrane specially formulated for showers and bathrooms. Its fibre-enhanced formulation provides excellent crack-bridging performance and flexibility, and is compatible with cement-based tile adhesives for direct tiling.

Available in: 5 kg

Coverage: Approx. 3 m² per 5 kg bucket at 1.5–2.0 mm cured film thickness



TAL SUREPROOF



Flexible, rapid-drying two-part cementitious waterproofing membrane for showers, bathrooms, balconies, terraces and swimming pools. Provides seamless waterproof protection with excellent adhesion and long-term durability.

Available in: 20 kg (including Primer)

Coverage: 12–15 m² per 20 kg kit at 1.2 mm cured film thickness



PEKAY ELAST-O-CRETE



Highly elastic cementitious waterproofing membrane providing long-term protection for bathrooms, balconies, fish ponds, reservoirs and other water-retaining structures. Offers excellent flexibility, adhesion and durability.

Available in: 5 kg / 15 kg

Coverage: 1.5–2.0 kg/m²/mm thickness



CONMIX LTD
Building History

CONMIX MOYAPROOF WS2

Flexible cementitious waterproofing system suitable for swimming pools, bathrooms, balconies, basements and water-retaining structures. Provides excellent adhesion, flexibility and long-lasting durability under damp conditions.

Available in: 5 kg / 25 kg

Coverage: Approx. 6 m² per set at 2 mm thickness (2 coats)



BLOCK C550 BOSCOFLEX



Two-component polymer-modified flexible cementitious waterproofing coating with excellent adhesion to concrete and cement render. Ideal for bathrooms, balconies and general waterproofing applications.

Available in: 30 kg Kit

Coverage:

Bathrooms & Balconies: 2 coats at 1.0 kg/m² per coat (2 kg/m² total)
Water Tanks, Swimming Pools & Hydrostatic Areas: 3 coats at 1.0 kg/m² per coat (3 kg/m² total)



BLOCK C750 BOSCOLASTIC



High-performance two-component acrylic polymer-modified cementitious waterproofing coating. Provides superior crack-bridging capability, flexibility and weather resistance for demanding waterproofing applications.

Available in: 35 kg Kit

Coverage:

Bathrooms & Balconies: 2 coats at 1.0 kg/m² per coat
Water Tanks, Swimming Pools & Hydrostatic Areas: 3 coats at 1.0 kg/m² per coat



ACRYLIC



BOSCOSEAL BLOCK A550 (RC2)

One-component acrylic waterproofing membrane forming a flexible, durable elastomeric film for long-lasting waterproof protection.

Available in: 5 kg / 20 kg



BLOCK A750 BOSCOSEAL AC2 (FIBRATED)

Fibre-reinforced acrylic waterproofing membrane for commercial and residential exterior waterproofing. Reinforced formulation eliminates the need for additional reinforcing matting in most applications.

Available in: 5 kg / 20 kg



ACRYLIC



PEKAY ACRYLSEAL 835

Flexible acrylic waterproofing membrane offering excellent durability and resistance to mould and fungal growth. Suitable for exterior walls and general waterproofing applications.

Available in: 5 kg / 20 kg

Coverage: 1.5–2.0 m² per litre



FLEXI-SEAL 833 (FIBRATED)

Fibre-reinforced acrylic waterproofing membrane providing excellent flexibility, durability and resistance to mould and fungal growth for exterior waterproofing applications.

Available in: 2.5 kg / 5 kg / 20 kg

Coverage: 1.5–2.0 m² per litre



F 935 WATERBASE PU ACRYLIC

Single-pack polyurethane-acrylic waterproofing membrane combining excellent flexibility, toughness and chemical resistance for long-term waterproof protection.

Available in: 5 kg / 20 kg

Colours: White / Grey



MEMBRANES



PEKAY SAFBOND

Reinforcing membrane for use with Rubberseal 570 and Acrylseal 835 waterproofing systems on roofs and cracked wall surfaces.

Available in:

- 100 mm × 20 m
- 150 mm × 20 m
- 1 m²
- 2 m²



PEKAY VYLENE

roofs, wall cracks and other waterproofing applications requiring additional reinforcement.

Available in: Per metre²



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

CRYSTALLINE WATERPROOFING



XYPEX ADMIX C1000 NF

Integral crystalline waterproofing admixture that becomes part of the concrete matrix, providing permanent waterproofing and protection against water ingress. Ideal for reservoirs, foundations, tunnels and swimming pools.

Available in: 3.4 kg



XYPEX CONCENTRATE

Crystalline waterproofing treatment applied to concrete surfaces to protect below-grade and above-grade structures against water penetration and hydrostatic pressure.

Available in: 5 kg / 25 kg



XYPEX MODIFIED

Single-coat crystalline waterproofing treatment for exterior foundation walls and concrete structures exposed to moisture.

Available in: 25 kg



XYPEX PATCH N PLUG

Rapid-setting hydraulic repair compound for sealing active water leaks and repairing cracks, joints and defects in concrete. Non-shrink with excellent bond strength.



PU WATERPROOFING



BOSTIK AQUABLOCKER

Ready-to-use, thick-layer bitumen waterproofing coating combining excellent crack-bridging performance with the ease of application of a bitumen emulsion. Ideal for below-ground and general waterproofing applications.

Available in: 1 kg



BOSCOSEAL PU P501 + AQUAROLL PUPRIM PP PRIMER

Single-component polyurethane waterproofing membrane used with Aquaroll PUPrim PP Primer to provide a seamless, durable waterproofing system. Suitable for roofs, terraces, balconies, foundations and retaining walls.

Available in:

P501: 1 kg / 5 kg / 25 kg Kit

PUPrim PP Primer: 1 kg / 5 kg

Coverage:

Primer: 0.6–0.8 kg/m² (1st layer)

Membrane: 0.6–0.9 kg/m² (2nd layer)

Total system: Minimum 1.5 kg/m²

Colours: White / Black



BITUMINOUS WATERPROOFING



PEKAY RUBBERSEAL 570

Rubber-latex modified bitumen waterproofing coating providing a flexible, durable black protective membrane for roofs, walls and foundations. Compatible with Saffbond reinforcing membrane for enhanced performance.

Available in: 2.5 L / 5 L / 20 L

Coverage: 1.5–2.0 m²/L



PEKAY ROOF DRIP 501

Cold-applied modified bituminous waterproofing compound reinforced with inert fillers to provide a flexible, weather-resistant seal. Offers excellent resistance to chemical attack and prolonged UV exposure.

Available in: 1 kg / 2 kg / 5 kg / 20 kg



BITUMINOUS WATERPROOFING

XTRASEAL WATERPROOF SPRAY WP-730

Fast-drying waterproofing spray formulated to seal leaks, cracks and difficult-to-reach areas. Provides durable waterproof protection with excellent anti-corrosion and anti-rust properties.

Available in: 400 mL Aerosol



FLASH BAND

Self-adhesive waterproof flashing tape combining lacquered aluminium foil with a high-performance bitumen adhesive. Provides an instant waterproof seal, even under damp conditions.

Available in:

• 100 mm × 10 m

• 150 mm × 10 m

• 200 mm × 10 m

• 300 mm × 10 m



WATERPROOFING MEMBRANE



SBS / APP MEMBRANE

Torch-applied bituminous waterproofing membranes designed for roofs, foundations and other demanding waterproofing applications. Provide excellent weather resistance, flexibility and long-term durability.

Available in:

• Bituflex F 1.7 mm E/E

• Bitunil P 4.5 kg

• Bituflex F 4.5 kg

• Bitugum F 3.25 kg

• Bituflex P 4.5 kg

• Bituflex F 4 kg

• Roll Size: 1 m × 10 m



Colours: White / Grey (where applicable)

BITUMEN PRIMER

High-performance bitumen primer designed to seal and prepare porous and non-porous substrates before the application of bituminous waterproofing membranes and coatings. Suitable for concrete, timber and metal surfaces.



HOT MELT OXIDIZED BITUMEN 115/15

Premium oxidized bitumen with excellent adhesion and durability for waterproofing and industrial applications. Delivers stable performance under normal service temperatures.



TORCH

Professional gas torch designed for the safe application of torch-on waterproofing membranes.



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.


WATERSTOP PVC TYPE A

DUMBELL

Flexible PVC waterstop designed for expansion joints in concrete slabs and walls, providing a watertight seal while accommodating structural movement.

Available in:

- 150 mm × 15 m
- 200 mm × 15 m
- 250 mm × 15 m



Types: A250 / B-C-D 200 & 250 mm

REARGUARD TYPE B

REARGUARD WITH CENTER

PVC rearguard waterstop designed for expansion joints at the rear face of concrete slabs and walls, providing long-term watertight protection.



Available in: 250 mm × 15 m

HYDROPHYLIC WATERSTOP TYPE C



MANORTEQ
Completing the Waterproofing



MANORTEQ FORMRING

External waterproof sealing ring designed for formwork spacers and tie bolts. Prevents water infiltration around sleeves and spacer penetrations.




MANORTEQ
Completing the Waterproofing

MANORTEQ - HYDROBAR EVO WATERBARS



Advanced hydrophilic waterbars that expand on contact with water to provide a durable watertight seal in construction joints. Designed as an enhanced alternative to conventional bentonite waterstops.

Available in: 5 mm × 10 m



HYDROPHYLIC WATERSTOP



MANORTEQ
Completing the Waterproofing



MANORTEQ - FORMPLUG

Hydrostatic waterproof plug designed for sealing formwork spacer holes. Suitable for both PVC and steel spacers, providing a watertight seal with pressure resistance up to 6 bar.



HYDROPHYLIC WATERSTOP

Swellable hydrophilic waterstop for sealing construction joints and preventing water ingress through concrete joints.

Available in:

TAL STOP HWS 520: 5 mm × 20 mm × 10 m

TAL STOP HWS 1020: 10 mm × 20 mm × 10 m



TOOLS & ACCESSORIES

BLADE

Replacement hot-cutting blade for shaping and installing waterproofing membranes and waterstop systems.



SCAN QR CODES TO ACCESS
PRODUCT TECHNICAL DATA SHEETS.

GEOTEXTILE

SUNSHADE



UV-stabilised shade netting designed to provide privacy, wind protection and sun screening for construction sites, fencing and agricultural applications.

Available in:

- 50% Shade – Green/Black: 1.83 m × 30 m (120 g/m²)
- 90% Shade – Green/Black: 1.83 m × 30 m (150 g/m²)

RESERVOIR MEMBRANE



High-quality HDPE geomembrane designed for waterproof lining of reservoirs, ponds, canals and water-retaining structures. Offers excellent chemical resistance and long-term durability.

Available in:

- GSE HDPE 1.5 mm Smooth
- Roll Size: 1.80 m × 50 m
- Custom welded sizes available



GROW BAG

Heavy-duty geotextile planting bags designed for landscaping, gardening and tree planting. Promotes healthy root development while allowing efficient drainage.

Available in: 25 L / 50 L / 75 L / 100 L



GABION


PVC-coated galvanised steel gabion baskets for retaining walls, erosion control, slope stabilisation and landscaping applications.

Available in:

- 2 × 0.5 × 0.5 m
- 2 × 1 × 0.3 m
- 2 × 1 × 1 m
- 3 × 1 × 0.3 m
- 3 × 2 × 0.3 m



GEOTEXTILE BAG (SANDBAG)



High-strength geotextile sandbags designed for flood control, erosion protection and reinforcement of dykes, shorelines and embankments.

Available in:

- 400 kg (1.30 × 0.80 m)
- 1,800 kg (1.80 × 1.50 m)




DECKDRAIN

High-performance geocomposite drainage board featuring a cusped HDPE core bonded to a nonwoven geotextile. Provides efficient drainage and protection for below-ground waterproofing systems.

Applications:

- Retaining walls
- Basement waterproofing
- Roof gardens
- Green roofs
- Underground drainage systems



Available in: Roll 1.10 m × 50 m





GEOTEXTILE MEMBRANE

Nonwoven geotextile membrane engineered for separation, filtration, drainage and protection in civil engineering, road construction and landscaping applications.

Available widths: 1.7 m / 5.2 m


Roll Length: 150 m



Applications	Fibertex Geotextiles								Function			
<i>The colour of the markings indicates higher requirements to mechanical properties when moving from light blue to darker blue.</i>	F-20	F-22	F-25	F-30	F-32	F-34	F-46	F-55	Separation	Filtration	Drainage	Protection
ROAD WORKS												
Permanent roads									●	●		
Temporary roads									●	●		
Road widening									●	●		
Parking areas									●	●		
Path and walking areas									●	●		
Airports									●	●		
CONSTRUCTION WORKS												
Foundations									●	●		
Concrete floors									●	●		
Roof Constructions									●	●		
Roof Constructions (protection)											●	●
Retaining walls									●	●		
GROUND SYSTEMS												
Pipes and trenches									●	●		●
Sport grounds									●	●		
Slopes (Erosion control)									●	●	●	●
DRAINS												
Drainage pipes									●	●		
Drainage trenches - fascines									●	●		
Surface drains									●	●		
Building drains									●	●		




FILTRATION



DRAINAGE



PROTECTION





waterform



Integrated surface drainage system designed to efficiently collect and channel rainwater around residential and light commercial properties. Ideal for patios, swimming pools, paved terraces, walkways and driveways.



CHANNEL & GRATE

Heavy-duty drainage channel with UV-resistant grate designed for efficient surface water collection. Modular sections connect easily to create continuous drainage runs.

Available in: 1 m Channel with Grate



RAINWATER PIT

Drainage collection pit designed to capture and discharge surface water independently or as part of the Waterform drainage system.



CORNER & T-PIECE WITH GRATE

90° corner and T-piece fittings for creating changes in direction and branch connections within the drainage system.



CONVERTER

Connector fitting used to join drainage components and transition between system sections for a secure installation.



FLOW-WAY GULLYTOP

Surface gully top providing efficient water collection while allowing easy integration with underground drainage systems.



END CAP

End cap used to seal the termination of drainage channels, preventing water loss and ensuring proper flow direction.





GLUEX

Premium interior and exterior lime wash providing excellent coverage, durability and a traditional decorative finish for houses, boundary walls and outbuildings.

Available in: 25 kg

Coverage: Approx. 70 m²



CLC – BUILDING & PLASTER LIME

High-quality hydrated building lime offering excellent breathability and workability for restoration, plastering and mortar applications. Ideal for heritage buildings and damp-free renovation projects.

Key Benefits:

Excellent breathability / Improved workability / Long-lasting durability / Suitable for all climates / Helps fill minor voids and cracks

Available in: 25 kg



BIOLIM

Hygienic agricultural lime formulated to improve biosecurity by creating a stable alkaline environment that helps control bacteria, reduce odours and improve hygiene in livestock facilities.

Key Benefits:

Reduces bacterial growth / Improves hygiene / Controls odours / Supports biosecurity / Assists pH control

Available in: 25 kg



SOIL STABILISATION LIME


Hydrated lime designed to improve soil stability, strength and workability for civil engineering and road construction projects.

Applications:

Soil stabilisation / Road construction / Soil improvement / Increased bearing capacity

Typical Dosage: 3–6% of soil content (depending on soil type)

Available in: 25 kg



FEED LIME

High-purity calcium supplement formulated to support livestock nutrition, bone development and overall animal health.

Key Benefits:

Calcium supplement / Easy to use / Calcium carbonate source / Supports animal health

Available in: 25 kg



“QUALITY, EXPERIENCE & TRUST.”





Who We Are

At Palco Waterproofing, we've been protecting buildings in Mauritius for over 30 years. As a family-run company, we combine experience, reliability, and innovation to deliver solutions you can trust.

What We Do

We provide high-quality waterproofing systems that keep your projects safe from leaks and long-term damage. From liquid membranes to advanced roofing and coating solutions, we work hand-in-hand with contractors, architects, and property owners to ensure every structure stays durable and watertight.



With over 30 years of experience, Palco Waterproofing applies Paradial S membrane with a 10-year warranty.

OUR BRANDS





BITUMEN PRIMER

Bitumen primer is suitable for sealing and priming porous and non-porous surfaces. Used on concrete, metal and timber surfaces.

Economical & easy to apply.

Palco Waterproofing
Bituminous primer on concrete



HOT MELT OXIDIZED BITUMEN 115/15

Oxidized bitumen exhibits “solid” characteristics at ambient temperatures and provides superior adhesion.

Palco Waterproofing
Hot Melt Oxidised Bitumen



1 LAYER / 2 LAYERS SBS MEMBRANE

Fibreglass and Polyester reinforced membrane with mineral or aluminium finish.

1st LAYER

2nd LAYER

Palco Waterproofing
SBS vs APP Bitumen



TORCH ON WATERPROOFING SYSTEM



WATERPROOFING SYSTEM FOR ROAD, BRIDGE DECKS & CAR PARKS

Fully bonded elastomeric bitumen single layer system for direct application of the overlaid weaving coarse



REFLECTIVE MEMBRANES

Available in white, aluminium.

- Powder coated finish.
- Solar reflective index 71
- High U.V reflective
- Long durability



Palco Waterproofing
Palco test temperature moyenne

GREEN ROOF WATERPROOFING SYSTEM

A green roof or living roof is a roof of a building that is partially or completely covered with vegetation and a growing medium, planted over a waterproofing membrane. It may also include additional layers such as a root barrier and drainage and irrigation systems.



SCAN QR CODES TO WATCH
PRODUCT APPLICATION VIDEOS.

TORCH ON WATERPROOFING SYSTEM

DECORATIVE BITUMINOUS SHINGLES

SBS bitumen shingle for roofing.

- High quality product, SBS bitumen.
- With self-adhesive points for bonding.
- Weathertightness.
- Easy installation.
- Large range of colours and models



Palco Waterproofing
Application of Bituminous Shingles



WATERPROOFING SYSTEM FOR BASEMENT

Waterproofing barrier against water infiltration subject to high movements.

Used in foundations and underground structures with delicate site conditions.

LIQUID WATERPROOFING SYSTEMS

LIQUID WATERPROOFING SYSTEMS POLYURETHANE LIQUID MEMBRANE

A single-component liquid waterproofing product that, after polymerization, forms an elastomeric, cold-applied polyurethane membrane. The membrane cures into a continuous, fully adhered layer. This waterproofing system ensures complete water tightness and accommodates building movements.



Palco Waterproofing
Polyurea Hot Sprayed Applied Membrane




CEMENTITIOUS WATERPROOFING

Is a high flexible and seamless, rapid settings two component slurry applied waterproofing membrane.

It is suitable for:

- Waterproofing showers recessed.
- Internal wet areas
- External deck and under tiles
- Swimming pool
- Water tanks
- and protected roof tops.



ALTERNATIVE WATERPROOFING



GEOMEMBRANE FOR PONDS

- Good physical and mechanic performance.
- High tearing resistance, strong deformation adaptability.
- Puncture-resisting, aging resisting, ultra-violet radiation, oil and salt, and corrosion resistance.
- Good adaptability to high and low temperature, non-toxicity, long service life.
- Good waterproof, drainage, anti-seepage and damp proof effects.



Palco Waterproofing
Alternative Waterproofing

THORMA-JOINT - Flexible expansion joint between the adjacent road and the bridge deck

BRIDGE DECK JOINT

System of flexible waterproof bridge joint, which will allow for a joint movement in compression and decompression.



Palco Waterproofing
Thorma Joints



THERMAL INSULATION SYSTEM

Application of thermal insulation boards under the waterproofing system.



SCAN QR CODES TO WATCH
PRODUCT APPLICATION VIDEOS.

SPECIAL PRODUCTS

RESIDENTIAL AND COMMERCIAL PAINTING WORKS



Through professionalism, integrity, experience, and highly skilled employees, we offer painting solutions to provide the highest quality painting and decorating services to our Residential and Commercial customers.

CONCRETE WORKS



The works included the leveling of existing roof slabs using cement-sand screed to correct surface irregularities and create proper slopes for water drainage.

Minor concrete patch repairs were also carried out in localized areas to restore damaged or uneven sections of the slab before the application of subsequent waterproofing layers.



BST - BETOSTYRENE FOR LIGHT WEIGHT CONCRETE



Is composed of polystyrene spherules, treated to form a homogeneous, insulating concrete in conjunction with cement, and which is water-resistant and non-inflammable.

It can be used to reduce the weight / volume of concrete, for structure-bearing insulating concrete, or for insulating filling concrete.

APPLICATIONS

BST - BETOSTYRENE is used for new constructions as well as renovation, in individual homes or group-housing.

It can be used in the ground, walls and roofs:

- Construction of an insulating slab on back-fill
- Construction of insulating screed over the entire supporting structure, by replacing the traditional floating screed.

IN THE BUILDING

The advantages of BST BETOSTYRENE,

- Savings in weight
- Thermal and acoustical comfort
- Fire protection
- Is active in the sanitary aspects of the construction, (elimination of mould, swelling, parasites)
- Fill in all kinds of empty spaces
- Traditional applications

IN CIVIL ENGINEERING

The essential advantages of BST BETOSTYRENE, are to be found in the mechanical strength and water-resistant characteristics, associated with its remarkable elastic modulus, as well as in the reproducibility of its results and its dimensional stability.



SCAN QR CODES TO WATCH
PRODUCT APPLICATION VIDEOS.





WHAT WE DO

Palco Flooring is specialized in the application of industrial, commercial and domestic flooring products.

ASSISTANCE & SERVICE

Our goal is to offer the best services for a job perfectly mastered and executed.

Our aim is your satisfaction and contentment.

Always at the front line of its client's needs, Palco Flooring analyses and proposes tailor-made solutions adapted to client's situation and budget, and commits to production deadlines.

Always at the front line of its client's needs, Palco analyses and propose tailor made solutions adapted to the client's situation and budget.



TERACOAT



Breath^eCoat



BOSTIK

vuka floors
we have africa covered

Breath^eCoat

BETON CIRE VENEDEC TF



Bring timeless elegance to your interiors with Beton Cire VENEDEC TF. This seamless decorative finish combines contemporary aesthetics with exceptional durability. Suitable for floors, walls and furniture, it creates a refined, minimalist appearance while remaining easy to maintain. Available in a wide range of colours, it is the perfect choice for modern residential and commercial spaces.



TERACOAT

Teracoat Seamless is a premium seamless flooring solution combining contemporary design with outstanding durability. Its smooth, joint-free finish delivers a clean, elegant appearance while offering excellent resistance to daily wear. Easy to maintain and available in a wide range of colours, it provides the perfect balance between aesthetics and performance.



POLISHED CONCRETE FLOORS



Polished Concrete is a cement-based decorative flooring system polished to create a smooth, glossy and highly durable finish. Suitable for both residential and commercial projects, it offers exceptional resistance to wear while requiring minimal maintenance. Different polishing levels allow a choice of gloss and aggregate exposure to suit each design. Fibre reinforcement is recommended to minimise shrinkage and maximise durability.

TERRAFLOOR



TERRAFLOOR ANTI-SLIP



TerraFloor is a decorative cement-based floor system incorporating carefully selected natural aggregates. Once polished, it creates a smooth, highly durable and easy-to-maintain surface. Various combinations of colours and aggregates are available to achieve unique decorative finishes.



Vuka Floors are advanced epoxy and polyurethane flooring systems engineered for maximum durability and performance. Resistant to chemicals, abrasion and heavy traffic, they are ideal for industrial facilities, warehouses, commercial premises and public buildings. Available in a variety of finishes, Vuka Floors combine strength, safety and long-lasting protection for demanding environments.



VUKA CRETE MD

Vuka Crete MD is a multi-component, water-based polyurethane flooring system incorporating antimicrobial agents. It is applied at a thickness of 3.5–4 mm.

VUKA CRETE HD

Vuka Crete HD is a heavy-duty, multi-component water-based polyurethane flooring system incorporating antimicrobial technology. It is designed for industries requiring exceptional chemical resistance and mechanical strength, and is applied by trowel at a thickness of 6–9 mm.



VUKA SEAL 200

Vuka Seal 200 is a high-performance, water-dispersed epoxy coating with a semi-matt finish.

VUKA FLOW 401

A solvent-free, filled, coloured epoxy flooring system providing a smooth and durable floor finish, installed at a thickness of 2.5–4 mm.



Our self-levelling compound is a high-performance underlayment designed to correct uneven substrates and create a perfectly smooth, level surface before the installation of floor coverings or coatings. Applied at thicknesses from 3–10 mm, it offers excellent flow, rapid curing and high compressive strength. It bonds exceptionally well to concrete and cementitious screeds, making it the ideal preparation layer for decorative finishes, epoxy systems, polyurethane flooring, ceramic tiles and many other floor coverings.





WHAT WE DO

Air Stream Limited specialises in supplying premium ventilation systems and energy-efficient LED lighting solutions for residential, commercial and industrial applications.

ASSISTANCE & SERVICE

Committed to quality and exceptional service, we support our clients throughout every stage of their project. Our services include free site visits, professional lighting assessments, night-time lighting tests, installation guidance, maintenance and after-sales support.

ECO CONTRIBUTION

Sustainability is at the heart of our business. We carefully select energy-efficient products designed to reduce environmental impact while delivering long-term performance and reliability.

Thank you for choosing Air Stream Limited. We are committed to supporting you every step of the way with reliable products, expert advice and outstanding service.



GREENSTREAM™
LED LIGHTS
EQUIPMENT

**GREEN
STREAM**



OUTDOOR SOLAR LIGHTS



CLASSIC LANTERN

Portable rechargeable lantern for decorative outdoor lighting and ambient spaces.

Available in:

- 2W
- 200 Lumens
- 3000K (Warm White)
- Aluminium & Glass
- Height: 475 mm
- IP54



SOLAR WALL LIGHT 20W

Solar-powered wall light designed for outdoor security and architectural illumination.

Available in:

- 20W / 40W
- 3000K (Warm White)
- Separate solar panel
- PIR motion sensor
- 3 lighting modes
- Remote control
- IP65



SOLAR LAWN

Decorative solar lawn light for gardens and landscaped outdoor spaces.

Available in:

- 1000 Lumens
- 4000K (Neutral White)
- PIR motion sensor




SOLAR STEP

Solar step light providing safe and elegant illumination for stairways and walkways.

Available in:

- 1W
- 3000K (Warm White)
- Aluminium & Stainless Steel
- Continuous night illumination
- IP65




SOLAR BAR

Slim solar wall light ideal for pathways, entrances and outdoor walls.

Available in:

- 100 Lumens
- 4000K (Neutral White)
- PIR motion sensor



SOLAR YARD

Solar security light delivering reliable illumination for residential and commercial properties.

Available in:

- 25W
- 4000K (Neutral White)
- PIR 120°
- 3 lighting modes
- IP65



SOLAR ROUND DOWN

Modern solar wall light for architectural and exterior lighting applications.

Available in:

- 1000 Lumens
- 4000K (Neutral White)
- PIR motion sensor



SOLAR BOX

Compact solar wall light for entrances, patios and garden walls.

Available in:

- 1000 Lumens
- 4000K (Neutral White)
- PIR motion sensor
- 3 lighting modes
- IP64



OUTDOOR SOLAR LIGHTS



SOLAR EYES

Compact solar security light with intelligent motion detection for outdoor protection.

Available in:

- 800 Lumens
- 4000K (Neutral White)
- PIR motion sensor



SOLAR DOWN BLACK

Compact solar wall light combining decorative appeal with enhanced outdoor security.

Available in:

- 100 Lumens
- 4000K (Neutral White)
- PIR motion sensor




SOLAR EYES

Compact solar security light with intelligent motion detection for outdoor protection.

Available in:

- 800 Lumens
- 4000K (Neutral White)
- PIR motion sensor



SOLAR BALL

Decorative solar garden light creating a warm and inviting outdoor atmosphere.

Available in:

- 1000 Lumens
- 4000K (Neutral White)
- PIR motion sensor




SOLAR SPIKE

Decorative solar spike light for gardens, pathways and landscaped areas.

Available in:

- 500 Lumens
- 3000K (Warm White)



SOLAR WALL SQUARE

Contemporary square solar wall light for entrances and outdoor living spaces.

Available in:

- 300 Lumens
- 3000K (Warm White)
- PIR motion sensor




SOLAR SSL-53 SR

Solar street light for roads, parking areas and outdoor public spaces.

Available in:

- 3000 Lumens
- Colour Temperature: 3000K / 5700K




SOLAR AIR 0111

Solar wall light designed for entrances, pathways and perimeter lighting.

Available in:

- 1000 Lumens
- 3000K (Warm White)
- PIR motion sensor



OUTDOOR SOLAR LIGHTS




SOLAR AIR ST 80

High-performance solar street light for roads, parking areas and public spaces.

Available in:

- 80W
- 3000K (Warm White)




SOLAR BOLLARD 001

Modern solar bollard light for pathways, gardens and public outdoor spaces.

Available in:

- 550 Lumens
- 3000K
- Height: 800 mm



SOLAR AIR 04

Solar pole light engineered for large outdoor areas requiring powerful illumination.

Available in:

- 40W
- 3500 Lumens



SOLAR BOLLARD 011

Solar bollard light with motion sensing for safe and efficient pathway lighting.

Available in:

- 550 Lumens
- 3000K (Warm White)
- PIR motion sensor
- Height: 600 mm



SOLAR AIR 08

Solar pole light providing efficient illumination for pathways and landscaped areas.

Available in:

- 20W
- 2000 Lumens
- 3000K (Warm White)




SOLAR BOLLARD 009

Contemporary solar bollard light for landscape and pathway illumination.

Available in:

- 550 Lumens
- 3000K (Warm White)
- PIR motion sensor
- Height: 600 / 800 mm



GALVANIZED POLE

Heavy-duty galvanised steel pole designed for solar street lighting installations.

Available in:

- 3.5 m
- 5 m
- Black finish



SOLAR DECK

Recessed solar deck light for pathways, decking and landscape features.

Available in:

- 50 Lumens
- 3000K (Warm White)
- With or without spike
- IP65



OUTDOOR SOLAR LIGHTS



SOLAR GARLAND

Stylish solar string lights creating a warm outdoor ambience.

Available in:

- 15 bulbs
- 15 m
- 3000K (Warm White)



SOLAR STRING

Stylish solar string lights creating a warm outdoor ambience.

Available in:

- 15 bulbs
- 15 m
- 3000K (Warm White)



OUTDOOR LIGHTS

E27 LED STRING LIGHT

Decorative outdoor string light for patios, gardens and entertainment areas.

Available in:

- 10 m
- E27 LED
- 240V
- IP65



240 DEGREE ADJUSTABLE WALL LIGHT

Adjustable LED wall light for accent and architectural lighting.

Available in:

- 10W
- 3000K (Warm White)
- Black / White
- IP65
- 240° adjustable head




SQUARE 5 SIDE WALL LAMP

Contemporary wall light providing stylish architectural illumination for exterior spaces.

Available in:

- 8W
- 3CCT
- Black finish



GARDEN LED FLOOD LIGHT

Compact LED flood light for landscape, feature and garden lighting.

Available in:

- 3W
- 2400-2700K
- 2700-2900K
- 6000-6500K
- 45° beam angle
- IP65



WALL LIGHT RECTANGULAR

Modern rectangular wall light designed for residential and commercial outdoor applications.

Available in:

- 10W / 20W
- 3CCT
- Black / White
- IP65




IP54 LED LIGHT

Architectural LED wall light for decorative indoor and outdoor applications.

Available in:

- Directional LED (8054 / 9161)
- Up & Down LED (7142 / 9061)
- 4W
- GU10 LED bulb
- 240V
- 4000K
- Silver / White / Black / Rust



8054

7142

BED LIGHTS

ROUND FLEX LAMP 3W

Flexible bedside reading light offering precise and comfortable illumination.

Available in:

- 3W
- 3000K (Warm White)
- Flexible arm
- White / Black



BED LIGHT LAMP 3W

Compact bedside LED reading light for hotels and residential interiors.

Available in:

- 3W
- 3000K (Warm White)
- White / Black



BED LIGHT LAMP 4W

Modern bedside reading light combining comfort and energy efficiency.

Available in:

- 4W
- 3000K (Warm White)
- White / Black



FLEX USB LAMP 3W

Flexible bedside reading light with integrated USB charging.

Available in:

- 3W LED
- USB 14W
- 3000K (Warm White)
- Flexible arm
- Black / White



USB LAMP 3W

Bedside LED reading light with convenient USB charging port.

Available in:

- 3W LED
- USB 14W
- 3000K (Warm White)
- Black / White



INDOOR LIGHTS




RECESSED LED PANEL

Slim recessed LED panel providing efficient and uniform interior lighting.

Available in:

- 3W / 9W
- 3000K
- 18W
- 4500K
- 240V



SURFACE LED PANEL

Surface-mounted LED panel delivering clean and efficient ambient lighting.

Available in:

- 6W / 12W / 18W
- 3000K
- 240V



RECESSED OR SURFACE LED PANEL

Versatile LED panel suitable for recessed or surface-mounted installations.

Available in:

- 600 × 600 mm – 40W
- 600 × 300 mm – 20W
- 1200 × 300 mm – 40W
- 3000K / 4200K / 6500K
- 240V



GALLERY LIGHTS 21W / 14W

Adjustable gallery lighting designed to enhance artwork and display areas.

Available in:

- 14W / 21W
- LED technology



LANDSCAPE & INDUSTRIAL LIGHTING

STREET LED LIGHT

High-output LED street light for roads, industrial facilities and public spaces.

Available in:

- 30W
- 40W
- 80W
- 6500–7000K
- IP65
- 240V



40W



60W



120W



240W

CONNECTORS

IP65 CONNECTORS

Waterproof electrical connectors for reliable outdoor cable connections.

Available in:

- IP65 protection



IP65 T-CONNECTORS

T-shaped waterproof connectors for outdoor electrical installations.

Available in:

- IP65 protection



IP 65 4 WAY-CONNECTORS

Four-way waterproof connectors for multiple outdoor cable connections.

Available in:

- IP65 protection



EXTRACTORS / VENTILATIONS

DOMESTIC VENTILATION



VORTICE SUPPLY & EXTRACT FANS REVERSIBLE VARIO SERIES

Reversible axial extractor fans for efficient domestic ventilation.

Available in:

- Vario 150/6 AR
- Vario 230/9 AR
- Vario 300/12 AR-LL-S
- Vario 300/12 ARI-LL-S
- Airflow up to 1,750 m³/h



VORTICE PUNTO

Compact extractor fan designed for bathrooms, kitchens and utility rooms.

Available in:

- Ø100 mm
- Ø120 mm
- Ø150 mm
- Airflow: 90 / 175 / 350 m³/h
- UV-resistant housing



VORTICE LINEO IN LINES MAXED FLOW EXTRACT FANS

Compact in-line extractor fans for efficient ducted airflow.

Available in:

- 100 QVO - 155-200 m³/hr
- 100 VO - 180-255 m³/hr
- 125 VO - 250-365 m³/hr
- 160 VO - 385-550 m³/hr
- 200 VO - 790-1060 m³/hr
- 250 VO - 990-1350 m³/hr
- 315 VO - 1740-2300 m³/hr



CA VO E IN-LINE CENTRIFUGAL FANS IN SELF-EXTINGUISHING PLASTIC

High-performance in-line centrifugal fan for ducted ventilation systems.

Available in:

- CA250 VO E
- CA315 VO E
- Airflow up to 1,100 m³/h



LINEO QUIET SOUND-PROOF MIXED FLOW EXTRACTOR FANS

Low-noise mixed-flow extractor fan for residential and commercial ventilation.

Available in:

- 100
- 125
- 160
- 200
- Airflow up to 1,160 m³/h



VORTICE QBK SERIES INDUSTRIAL DUCTED VENTILATION

Industrial ducted ventilation units engineered for demanding environments.

Available in:

- QBK 12/12 6T
- QBK SAL KC EVO 315 T2
- QBK SAL KC EVO 500 T4



ACCESSORIES

GRAVITY GRILLES

100 / 120 / 150 / 160mm



AIR DUCT JOINT ROLLS

25mm x 5mts



MO-ALUMINIUM FLEXIBLE ROLLS

102 / 127 / 152 / 202 / 318mm x 10mts Rolls.



AIR VALVE

100 / 150 / 200mm.



INDUSTRIAL VENTILATION

E-RANGE VORTICE AXIAL FANS

Industrial axial fan engineered for high-capacity ventilation.

Available in:

Flow:

- 1000 m³/hr
- 1850 m³/hr
- 3150 m³/hr
- 3200 m³/hr
- 4800 m³/hr
- 7700 m³/hr
- 10,000 m³/hr
- 14,800 m³/hr



VORTICE VORTICEL MP

Heavy-duty axial fan for industrial ventilation and air extraction.

Available in:

- Ø300 mm
- Maximum airflow: 3,500 m³/h
- Single-phase AC motor



STREAM MAX INDUSTRIAL FAN

High-performance industrial fan providing powerful air circulation in large spaces.

Available in:

- 450 mm
- 650 mm
- 750 mm
- Optional stand



STREAM-MAX ON- WHEEL POWER FAN

Mobile industrial fan delivering high-volume airflow for demanding applications.

Available in:

- 600W
- 24,000 m³/h
- 650 RPM
- 7-speed control
- 6 blades
- Lockable castors



PALCO

***BUILDING
STRONGER
FUTURES***

Tel: 211 6609 | palco.mu

Allee des Manguiers, Les Pailles, 11221, Mauritius